


NOTE:
CONTACT PARK DIVISION 48 HRS. PRIOR TO PLANTING TREES TO MARK AND LOCATE THE TREES IN THE PARKWAY. (951) 817-5728. ALL STREET TREES REQUIRE AUTOMATIC IRRIGATION AND TO BE 24" BOX MINIMUM.

FLOOD THE ROOT ZONE AFTER PLANTING TO REMOVE AIR AND SETTLE SOIL.



ALL STREET TREES WILL BE LOCATED IN FIELD BY CITY REPRESENTATIVE ACCORDING TO THE FOLLOWING:


1. 5' FROM HYDRANTS.
2. 15' FROM STREET LIGHTS.
3. 8' FROM RESIDENTIAL AND INDUSTRIAL/COMMERCIAL DRIVEWAY.
4. 65' FROM STREET CORNERS
5. 5' FROM UTILITY, SEWER LINES AND UNDERGROUND VAULTS AND BOXES.
6. STREET TREES ARE TO BE CENTERED IN LANDSCAPE PARKWAY, UNLESS OTHERWISE SPECIFIED IN APP'D. PLAN.
7. SPREAD A 1/2 CUP OF 10+10+10 COMMERCIAL FERTILIZER AROUND ROOT BALL SURFACE.
8. STREET TREES ARE SPACED AT 35' O.C. EXCEPT WHERE FIELD CONDITIONS OBSTRUCT TREE PLANTING IN WHICH CASE TREE SPACING AND TOTAL TREES PLANTED MAY VARY FROM THE NUMBER APPROVED ON THE PLANS.
9. AN OPEN HOLE INSPECTION IS REQUIRED WITH CITY INSPECTOR PRIOR TO PLANTING.

REVISIONS:			APPROVED BY:  11-23-09	CITY OF CORONA	
NO.	DATE	APPR'VD		STREET TREE PLANTING (TURF PARKWAY)	
			CITY ENGINEER KIP D. FIELD	DATE	
			RCE NO. <u>45679</u>	EXP. DATE <u>12-31-10</u>	
					STANDARD PLAN NUMBER: 614 SHT 1 OF 3


NOTE: CONTACT PARK DIVISION 48 HRS. PRIOR TO PLANTING TREES TO MARK AND LOCATE THE TREES IN THE PARKWAY. (951) 817-5728. ALL STREET TREES REQUIRE AUTOMATIC IRRIGATION AND TO BE 24" BOX MINIMUM.

FLOOD THE ROOT ZONE AFTER PLANTING TO REMOVE AIR AND SETTLE SOIL.

PREVAILING WIND




TOP OF ROOTBALL IS TO BE PLACED AT 1 1/2" ABOVE FINISH GRADE. THE FINISH GRADE IS TO BE LEVEL WITH TOP OF CONC. CURB OR SIDEWALK.




ALL STREET TREES WILL BE LOCATED BY CITY REPRESENTATIVE ACCORDING TO THE FOLLOWING.

1. 5' FROM HYDRANTS.
2. 15' FROM STREET LIGHTS.
3. 8' FROM RESIDENTIAL AND INDUSTRIAL/COMMERCIAL DRIVEWAY.
4. 65' FROM STREET CORNERS
5. 5' FROM UTILITY, SEWER LINES AND UNDERGROUND VAULTS AND BOXES.
6. STREET TREES ARE TO BE CENTERED IN LANDSCAPE PARKWAY, UNLESS OTHERWISE SPECIFIED IN APP'D. PLAN.
7. SPREAD A 1/2 CUP OF 10+10+10 COMMERCIAL FERTILIZER AROUND ROOT BALL SURFACE.
8. STREET TREES ARE SPACED AT 35' O.C. EXCEPT WHERE FIELD CONDITIONS OBSTRUCT TREE PLANTING IN WHICH CASE TREE SPACING AND TOTAL TREES PLANTED MAY VARY FROM THE NUMBER APPROVED ON THE PLANS.
9. TREE GRATES MAY BE AT THE DISCRETION OF THE DIRECTOR OF PARKS AND COMMUNITY SERVICES.
10. AN OPEN HOLE INSPECTION IS REQUIRED WITH CITY INSPECTOR PRIOR TO PLANTING.

REVISIONS:			APPROVED BY: <i>Kip D. Field</i>	11-23-09	CITY OF CORONA	
NO.	DATE	APPR'VD			STREET TREE PLANTING (WITH TREE WELL)	
			CITY ENGINEER KIP D. FIELD	DATE	STANDARD PLAN NUMBER: 614	
			RCE NO. <u>45679</u>	EXP. DATE <u>12-31-10</u>	SHT 2 OF 3	



REVISIONS:		
NO.	DATE	APPR'V'D

APPROVED BY:

 CITY ENGINEER
 KIP D. FIELD

DATE
 7-19-10

RCE NO. 45679 EXP. DATE 12-31-10

CITY OF CORONA

STREET TREE PLANTING
 (VINE PLANTING)

STANDARD PLAN NUMBER: **614** SHT 3 OF 3